

12-29-99

A

EXPRESS MAIL CERTIFICATE

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 C.F.R. 1.53(d) on the date indicated below and is addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231.

Typed or Printed Name	Bonnie Wharton	Express Mail No.	EL 521 948 902 US
Signature	<i>Bonnie Wharton</i>	Date	December 27, 1999

 JCS 190 U.S. PTO
 09/472654
 12/27/99

**UTILITY
PATENT APPLICATION
TRANSMITTAL
NO FEE ENCLOSED
DO NOT CHARGE DEPOSIT
ACCOUNT**

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Atty Docket No.	TOSK-004
First Named Inventor	Patrick Fogarty
Title	<i>In Vivo High Throughput Toxicology Screening Method</i>

APPLICATION ELEMENTS

See MPEP chapter 600 concerning utility patent application contents

Address to: Assistant Commissioner for Patents
Box Patent Application
Washington, D.C. 20231

1. ☒ Specification (includes cover page) Total Pages 21
(preferred arrangement set forth below)
- Descriptive title of the invention
 - Cross Reference to Related Applications
 - Statement Regarding Fed sponsored R & D
 - Reference to Microfiche Appendix
 - Background of the Invention
 - Brief Summary of the Invention
 - Brief Description of the Drawings (if filed)
 - Detailed Description
 - Claim(s)
 - Abstract of the Disclosure
3. ☐ Drawing(s) (35 USC 113) Total Sheets
4. ☒ Oath or Declaration Total Sheets 2
- a. ☒ Newly executed (original or copy)
 - b. ☐ Copy from a prior application (37 CFR 1.63(d)
(for continuation/divisional with Box 16 completed)
 - i. ☐ DELETION OF INVENTOR(S)
Signed statement attached deleting
inventor(s) named in the prior application,
see 37 CFR 1.63(d)(2) and 1.33(b)
 - c. ☐ Unsigned

5. ☐ Microfiche Computer Program (*Appendix*)
6. ☐ Nucleotide and/or Amino Acid Sequence Submission
(*if applicable, all necessary*)
- a. ☐ Computer Readable Copy
 - b. ☐ Paper Copy (identical to computer copy)
 - c. ☐ Statement verifying identity of above copies

ACCOMPANYING APPLICATION PARTS

7. ☒ Assignment Papers (cover sheet & document(s))
8. ☐ 37 CFR 3.73(b) Statement ☐ Power of Attorney
(*when there is an assignee*)
9. ☐ English Translation Document (*if applicable*)
10. ☐ Information Disclosure Statement (IDS)/PTO-1449 ☐ Copies of IDS Citations
11. ☐ Preliminary Amendment
12. ☒ Return Receipt Postcard (MPEP 503)
(*Should be specifically itemized*)
13. ☒ Small Entity ☐ Statement filed in prior application
Statement(s) Status still proper and desired
14. ☐ Certified Copy of Priority Document(s)
(*if foreign priority is claimed*)
15. ☒ Other: Fee Transmittal Sheet

16a. If a CONTINUING APPLICATION, check appropriate box and supply the requisite information
☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No.


UTILITY PATENT APPLICATION TRANSMITTAL
(Only for new non-provisional applications under 37 CFR 1.53(b))

16b. If a **CONVERSION** from a **PROVISIONAL APPLICATION**, *supply the requisite information*
Conversion of prior provisional application No. 60/ 147,220, filed August 4, 1999.

17. CORRESPONDENCE ADDRESS

Individual Name	Bret Field		
Firm Name	BOZICEVIC, FIELD & FRANCIS LLP		
Address	285 Hamilton Avenue, Suite 200		
City, State, Zip	Palo Alto, California 94301		
Country	U.S.A.		
Telephone	(650) 327-3400	Facsimile	(650) 327-3231

SIGNATURE of Applicant or Assignee of Record

Individual Name	Bret Field
Registration No.	37,620
Signature	
Date	12.27.99

F:\DOCUMENT\tosk\004\Transmittal to App.wpd

**STATEMENT CLAIMING
SMALL ENTITY STATUS
(37 CFR 1.9(f) & 1.27 (c))
SMALL BUSINESS CONCERN**

Attorney Docket

TOSK-004

First Named Inventor

Fogarty

Application Number

Filing Date

December 27, 1999

Title

In Vivo High Throughput...

I hereby state that I am:

☐ the owner of the small business concern identified below:

☒ an official of the small business concern empowered to act on behalf of the concern identified below:

NAME OF SMALL BUSINESS CONCERN:

Tosk, Inc.

ADDRESS OF SMALL BUSINESS CONCERN:

122 16th Avenue

San Mateo CA 94402

I hereby state that the above-identified small business concern qualifies as a small business concern as defined in 37 CFR 121 for purposes of paying reduced fees to the United States Patent and Trademark Office, in that the number of employees of the concern, including those of its affiliates, does not exceed 500 persons. For purposes of this statement, (1) the number of employees of the business concern is the average over the previous fiscal year of the concern of the persons employed on a full-time, part-time or temporary basis during each of the pay periods of the fiscal year, and (2) concerns are affiliates of each other when either, directly or indirectly, one concern controls or has the power to control the other, or a third party or parties controls or has the power to control both.

I hereby declare that rights under contract or law have been conveyed to and remain with the small business concern identified above with regard to the invention described in: In Vivo High Throughput Toxicology Screening Method

☒ the specification filed herewith with title as listed above.

☐ the application identified above.

☐ the patent identified above.

If the rights held by the above-identified small business concern are not exclusive, each individual, concern or organization having rights to the invention must file separate statements as to their status as small entities, and no rights to the invention are held by any person, other than the inventor, who would not qualify as an independent inventor under 37 CFR 1.9(c) if that person made the invention, or by any concern which would not qualify as a small business concern under 37 CFR 1.9(d), or by a nonprofit organization under 37 CFR 1.9(e).

Each person, concern or organization having any rights in the invention is listed below:

☒ no such person, concern, or organization exists.

☐ each such person, concern, or organization is listed below.

NAME: _____

ADDRESS: _____

☐ Individual

☐ Small Business Concern

☐ Nonprofit Organization

Separate statements are required from each named person, concern or organization having rights to the invention stating their status as small entities. (37 CFR 1.27)

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b))

SIGNATURE



DATE: December 23, 1999

NAME OF PERSON SIGNING: Patrick Fogarty

TITLE IN ORGANIZATION OF PERSON SIGNING: CEO

ADDRESS OF PERSON SIGNING: 122 16th Avenue, San Mateo CA 94402

"Express Mail" Mailing Label No. EL 521 948 902 US

Atty Docket No. TOSK-004

Date of Deposit: December 27, 1999

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 C.F.R. § 1.10 on the date indicated above and is addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231.

Bonnie Wharton

Typed or Printed Name of Person Mailing Paper or Fee

Bonnie Wharton

Signature of Person Mailing Paper or Fee

PATENT APPLICATION

FOR

IN VIVO HIGH THROUGHPUT TOXICOLOGY SCREENING METHOD

Bret Field
Registration No. 37,620
BOZICEVIC, FIELD & FRANCIS LLP
285 Hamilton Avenue, Suite 200
Palo Alto, California 94301

IN VIVO HIGH THROUGHPUT TOXICOLOGY SCREENING METHOD

CROSS REFERENCE TO RELATED APPLICATIONS

Pursuant to 35 U.S.C. § 119 (e), this application claims priority to the filing date
10 of the United States Provisional Patent Application Serial No. 60/147,220 filed August 4,
1999, the disclosure of which is herein incorporated by reference.

INTRODUCTION

15 Field of the Invention

The field of this invention is toxicology testing, particularly toxicology testing in
pharmaceutical research and development.

Background of the Invention

During the drug development process, potential therapeutic agents or drug
20 candidates must be demonstrated to be both safe and effective for their intended use prior
to obtaining FDA approval and subsequent commercialization, at least in the United
States. In drug development processes, potential drug candidates are subjected to
mutagenicity and toxicology assessments in an effort to demonstrate safety. Mutagenicity
analyses take place in bacteria (Ames test), Drosophila (Mueller-5 test), and in
25 mammalian cell culture. However, toxicology analyses are limited to mammalian cell
culture and animal model studies. This scheme requires significant time and money to be
invested to analyze the toxicity of a candidate drug. As such, toxicology studies are
typically performed after successful efficacy assessment for drug candidates.

With the advent of high throughput drug discovery, there is great interest in the
30 pharmaceutical and related industries to streamline the toxicology testing segment of the

drug development process. As the number of drug candidates has exploded from 10's per year to 1,000's per year, the toxicology assessment programs have become a severe bottleneck in the drug development process.

Accordingly, there is great interest in the development of new high throughput screening assays which are capable of rapidly providing toxicity data for a large number of different compounds. Of particular interest would be the development of an in vivo high throughput toxicity screening assay.

Relevant Literature

High throughput toxicity screening assays are discussed in: Kelly, "Advances in HTS Toxicology," Genetic Engineering News, March 1, 1999, pg. 14; and Sansome, Drug Discovery Today (1999) 4: 199-201.

SUMMARY OF THE INVENTION

High throughput toxicology screening assays are provided. In the subject methods a plurality of different compound compositions, usually at least 10 different compound compositions, are simultaneously assayed for their toxic activity, if any. Each compound composition in the plurality is assayed for toxicity by contacting it with a population of multi-cellular organisms and determining the effect of the compound composition on the multi-cellular organisms. Multi-cellular organisms that find use in the subject high throughput screening (HTS) assays are those that are small, have differentiated tissues and organs, have a rapid generation time, and are prolific. The subject HTS methods find use in a variety of applications, and are particularly suited for use in the toxicological screening of large numbers of compounds, such as combinatorially produced libraries of compounds.

DESCRIPTION OF THE SPECIFIC EMBODIMENTS

A high throughput toxicology screening method is provided. In the subject method, at least 10 different compound compositions are tested simultaneously. Each

compound composition is tested by contacting it with a plurality, e.g. from about 10 to 1000, non-mammalian multi-cellular organisms and determining the effect of the compound composition on the organisms. The multi-cellular organisms employed in the subject methods are small, have differentiated tissues and organs, have a rapid generation
5 time, and are prolific. The subject high throughput screening methods find use in a variety of applications, and are particularly suited for use in the toxicology screening of libraries of compounds, such as libraries of combinatorially produced compounds.

Before the subject invention is described further, it is to be understood that the
10 invention is not limited to the particular embodiments of the invention described below, as variations of the particular embodiments may be made and still fall within the scope of the appended claims. It is also to be understood that the terminology employed is for the purpose of describing particular embodiments, and is not intended to be limiting. Instead, the scope of the present invention will be established by the appended claims.

15 In this specification and the appended claims, the singular forms "a," "an," and "the" include plural reference unless the context clearly dictates otherwise. Unless defined otherwise, all technical and scientific terms used herein have the same meaning as commonly understood to one of ordinary skill in the art to which this invention belongs.

20 As summarized above, the subject invention provides a high throughput screening (HTS) method for simultaneously testing the toxicology of a plurality of different compound compositions. The subject HTS assays are *in vivo* toxicology assays, by which is meant that they determine the effect of a compound on a living, multi-cellular
25 organism. As such, the subject HTS assays are distinguished from *in vitro* assays, in which cell cultures are employed.

In the subject HTS assays, a plurality of different compounds are simultaneously tested. More specifically, a plurality of different compound compositions are simultaneously tested. Different compound compositions differ from each other in at least

one of the following characteristics: (a) they are made up of compounds that differ by molecular formula; or (b) they are made up of compounds of the same molecular formula but the compounds are present in different concentrations. In other words, any two given compound compositions are different if they are either made up of compounds that differ

5 by molecular formula or are made up of the same type of compound but differ with respect to concentration of that compound. For example, a plurality of different compound compositions may include 4 different types of compounds that differ by molecular formula, where each specific type of compound is present in three different concentrations, such that the plurality is made up of 12 different compound compositions.

10 By simultaneously tested is meant that each of the compound compositions in the plurality are tested at substantially the same time. Thus, all of the compound compositions in the plurality are assayed for their toxicological effects in parallel. The number of compound compositions in the plurality of compound compositions that are simultaneously tested is typically at least about 10, where in certain embodiments the

15 number may be at least about 100 or at least about 1000, where the number of compound compositions tested may be higher. In general, the number of compound compositions that are tested simultaneously in the subject HTS methods ranges from about 10 to 10,000, usually from about 100 to 10,000 and in many embodiments from about 1000 to 5000.

20 In the subject methods, each individual compound composition in the plurality is individually assayed for toxicology. Each compound composition is individually assayed for its toxicity by contacting the compound composition with a plurality of non-mammalian multi-cellular organisms and determining the effect of the compound composition (or lack thereof) on the organisms of the plurality. As the organisms

25 employed in the subject methods are multi-cellular, they include differentiated tissues and organs. They are further characterized by being relatively small, where by small is meant at least about .001 g, usually at least about .01 g and more usually at least about .1 g, where the average mass of each organism in the plurality may be as great as 10 g or greater, but typically does not exceed about 100 g and usually does not exceed about

1,000 g. The multi-cellular organisms employed in the subject HTS methods are also characterized by having a rapid generation time. A rapid generation time is important to maintain the breeding colony plus supply enough organisms that will be prolific enough to produce on average at least about 100 progeny per day, which is the minimum requirement for high throughput screening. For *Drosophila*, this minimum population of flies can range from 10 to 300, usually from 50 to 150.

A number of different types of non-mammalian multi-cellular organisms may be employed in the subject methods, where these types of organisms include insects, amphibians, fish, and the like. Specific organisms of interest include: *Xenopus*, Zebrafish, *Caenorhabditis*, *Drosophila* and the like. Of particular interest in many embodiments are invertebrate animals, particularly members of the phylum arthropoda, and more particularly members of the class insecta. Of particular interest in many embodiments are flies. In many preferred embodiments, the flies are members of the family Drosophilidae, where the animal is often a *Drosophila melanogaster*. The multi-cellular organisms employed in the subject invention may be at any stage of their life, e.g. in the larval stage, in the adult stage, etc.

One specific multi-cellular organism of interest is a non-mammalian transgenic animal having an adult onset neurodegenerative phenotype, e.g. a transgenic *Drosophila melanogaster* having an adult onset neurodegenerative phenotype, as described in U.S. Patent Application Serial No. 60/125,586, the disclosure of which is herein incorporated by reference. Another multi-cellular organism of particular interest is the non-mammalian transgenic animal for cellular proliferative diseases, e.g. a transgenic *Drosophila melanogaster* having a neoplastic phenotype, as described in U.S. Patent Application Serial No. 60/147,433 filed August 4, 1999, the disclosure of which is herein incorporated by reference. Also of interest are non-transgenic non-mammalian animals.

In the subject assay methods, each compound composition is brought into contact with the population of multi-cellular organisms in a manner such that the active agent of the compound composition is capable of exerting activity on at least a substantial portion of, if not all of, the individual organisms of the population. By substantial portion is

meant at least 40 number %, usually at least 50 number % and more usually at least 60 number %, where the number % may be substantially higher and in many embodiments can be as high as 80, 90 or 95 number % or higher. Generally, each compound agent is contacted with the members of the population in a manner such that the active agent of the composition is internalized by the organisms. Typically internalization will be by ingestion, i.e. orally, such that that each compound composition will generally be contacted with the plurality of organisms by incorporating the compound composition in the nutrient medium, e.g. water, aqueous solution of additional nutrient agents, etc., of the organisms. For example, where the multi-cellular organism is a fly, the candidate agent is generally orally administered to the fly by mixing the agent into the fly nutrient medium and placing the medium in the presence of the fly, (either the larva or adult fly, usually the larva) such that the fly feeds on the medium.

As such, the compound composition may be contacted with the population of multi-cellular organisms at any convenient stage during the life cycle of the organism. Thus, depending on the particular organisms employed, the compound composition is contacted with the organisms during an immature life cycle stage, e.g. larval stage, during an adult stage, and the like.

A large number of different types of compounds may be assayed according to the subject invention. Compounds that may be assayed according to the subject HTS methods encompass numerous chemical classes, though typically they are organic molecules, preferably small organic compounds having a molecular weight of more than 50 and less than about 2,500 daltons. Compounds generally comprise functional groups necessary for structural interaction with proteins, particularly hydrogen bonding, and typically include at least an amine, carbonyl, hydroxyl or carboxyl group, preferably at least two of the functional chemical groups. The compounds often comprise cyclical carbon or heterocyclic structures and/or aromatic or polyaromatic structures substituted with one or more of the above functional groups. Compounds of interest are also found among biomolecules including, but not limited to: peptides, saccharides, fatty acids, steroids, purines, pyrimidines, derivatives, structural analogs or combinations thereof.

Compounds of interest are obtained from a wide variety of sources including libraries of synthetic or natural compounds. For example, numerous means are available for random and directed synthesis of a wide variety of organic compounds and biomolecules, including expression of randomized oligonucleotides and oligopeptides.

5 Alternatively, libraries of natural compounds in the form of bacterial, fungal, plant and animal extracts are available or readily produced. Additionally, natural or synthetically produced libraries and compounds are readily modified through conventional chemical, physical and biochemical means, and may be used to produce combinatorial libraries. Known pharmacological agents may be subjected to directed or random chemical
10 modifications, such as acylation, alkylation, esterification, amidification, *etc.* to produce structural analogs. New potential therapeutic agents may also be created using methods such as rational drug design or computer modeling.

Screening may be directed to known pharmacologically active compounds and chemical analogs thereof, or to new agents with unknown properties such as those created
15 through rational drug design.

Following contact of the compound composition with the population, the effect of the compound on the members of the population is determined. The effect of the compound on the members of the population is generally determined by evaluating one or more of a number of different phenotypic parameters. Phenotypic parameters that are
20 evaluated in a given HTS assay of the subject invention may vary widely depending, at least in part, on the nature of the multi-cellular organisms being employed. Typically, phenotypic parameters that are evaluated in any given assay include one or more of the following: (1) viability; (2) morphological defects; and (3) fecundity. Specific parameters that may be evaluated include one or more of: (1) lethal dose, e.g. LD₅₀, LD₁₀ etc.); (2)
25 growth defects; (3) sterility effect dose; (4) developmental defects; (5) neurologic impairment; (5) life-span modulation, e.g. life span enhancing or shortening; and the like.

In addition to the above parameters that can be evaluated in the subject methods, the gene expression levels of the test organisms can be assayed, e.g. gene expression levels in treated larva, pupa, and/or flies can be evaluated. The genes can be from

“housekeeping” genes that provide basic metabolic information to developmental and tissue specific genes to gauge which tissue or cell type is affected and when. A variety of different gene expression protocols, including arrays based protocols, are known to those of skill in the art, including those described in: EP 0 328 829 B1 and US Patent Nos.

5 5,468,613; 5,580,726; 5,599,672; 5,512,462; 5,162,209 and 5,162,209, the disclosures of which are herein incorporated by reference. Methods of analyzing differential gene expression are also described in Maniatis, *et al.*, Molecular Cloning, A Laboratory Manual, (Cold Spring Harbor Press, Cold Spring Harbor, NY)(1989); Nucleic Acid Hybridization, A Practical Approach (Hames, B.D., and Higgins, S.J. eds, IRL Press, 10 Oxford)(1985); WO 95/21944; Chalifour, *et al.*, Anal. Biochem. (1994) 216: 299-304; Nguyen *et al.*, Genomics (1995) 29: 207-216; Pietu *et al.*, Genome Res. (1996) 6: 492-503; and Zhao *et al.*, Gene (1995) 166: 207-213.

The effect of the compound on the particular physical parameter or parameters being evaluated may be determined manually or robotically, such that in many 15 embodiments determination of the effect of the compound on the organism is accomplished via an automated procedure.

The effect of the compound on the phenotypic parameter or parameters is then related to the toxicity of the compound. As such, the effect on the phenotypic parameter(s) is employed to derive a toxicity profile for the assayed compound, where 20 toxicity profile refers to the toxic activity of a given compound, i.e. its collection of one or more toxic activities, such as lethality, sterility causing activity, etc.

Because the subject methods are HTS methods in which a plurality of compounds are assayed for toxicity at the same time, any given HTS screen according to the subject invention rapidly provides toxicity profiles for a plurality of compounds. The number of 25 compounds for which toxicity profiles are rapidly provided in any given HTS assay according to the subject invention ranges from about 20 to 50,000, usually from about 50 to 10,000 and more usually from about 500 to 5,000. As the toxicity profiles are rapidly determined, they are determined in generally less than about 14 days, usually less than

about 10 days. In many embodiments, they may be determined in less than about 7 days or in a shorter period of time.

In sum, the subject invention as described above provides a high throughput method for toxicity screening of a large number of compounds and/or different concentrations thereof. The subject HTS toxicity screens find use in a variety of different applications in which it is desired to obtain toxicity data for a large number of compounds in a short period of time. Of particular interest in many embodiments is the use of the subject methods to provide *in vivo* toxicity profiles for individual compound members of libraries or collections of compounds, including combinatorially produced libraries of compounds. As such, the subject HTS toxicology screening assays find use in a number of applications, including drug discovery and development applications.

The subject HTS methods may be part of a multi-step screening process of evaluating candidate therapeutic agents for their efficacy (and safety) in the treatment of disease conditions. In multi-step screening processes of the subject invention, a library of compounds is subjected to screening in a second *in vivo* model, e.g. a mouse model, following screening via the subject HTS assays. Following the initial screening of the library using the HTS methods of the subject invention, the positive compounds identified by the screen (i.e. those compounds that do not have unacceptable toxicity profiles) are then screened in non-human mammalian animal models, including transgenic non-human mammalian animal models, where the mammalian animal models are generally correlated to the particular target disease condition. In addition, a pre *in vivo* screening step may be employed, in which the library of compounds is first subjected to an *in vitro* screening assay for its potential as a therapeutic agent in the treatment of a particular disease condition. Any convenient *in vitro* screening assay may be employed, where a variety of suitable *in vitro* screening assays are known to those of skill in the art, e.g. HTS cell culture assays.

The subject HTS toxicity screening assays also find use in the generation of databases of information that include toxicity profiles of a plurality of distinct compounds. As such, the subject invention can be employed to produce a database of

toxicity profiles for a variety of compounds. Such a toxicity profile database will typically comprise toxicity profile information as described above, for a number of related compounds. The compounds of interest in a database may be selected and arranged according to various criteria: the types of molecules that are tested, *e.g.* steroids, antibiotics, antineoplastic agents, *etc.*; by the source of compounds, *e.g.* environmental toxins, biologically active extracts from a particular animal or cell, synthetic or natural library of compounds *etc.*; and the like.

The toxicity profiles and databases thereof may be provided in a variety of media to facilitate their use. "Media" refers to a manufacture that contains the toxicity profile information of the present invention. The databases of the present invention can be recorded on computer readable media, *e.g.* any medium that can be read and accessed directly by a computer. Such media include, but are not limited to: magnetic storage media, such as floppy discs, hard disc storage medium, and magnetic tape; optical storage media such as CD-ROM; electrical storage media such as RAM and ROM; and hybrids of these categories such as magnetic/optical storage media. One of skill in the art can readily appreciate how any of the presently known computer readable mediums can be used to create a manufacture comprising a recording of the present database information. "Recorded" refers to a process for storing information on computer readable medium, using any such methods as known in the art. Any convenient data storage structure may be chosen, based on the means used to access the stored information. A variety of data processor programs and formats can be used for storage, *e.g.* word processing text file, database format, *etc.*

As used herein, "a computer-based system" refers to the hardware means, software means, and data storage means used to analyze the information of the present invention. The minimum hardware of the computer-based systems of the present invention comprises a central processing unit (CPU), input means, output means, and data storage means. A skilled artisan can readily appreciate that any one of the currently available computer-based system are suitable for use in the present invention. The data storage

means may comprise any manufacture comprising a recording of the present information as described above, or a memory access means that can access such a manufacture.

A variety of structural formats for the input and output means can be used to input and output the information in the computer-based systems of the present invention. One
5 format for an output means ranks toxicity profiles possessing varying degrees of similarity to a reference toxicity profile. Such presentation provides a skilled artisan with a ranking of similarities and identifies the degree of similarity contained in the test toxicity profile.

The subject toxicity profile databases find use in a number of different
10 applications. For example, where one has a compound of interest, one can search the database to determine whether that compound is present in the database and, if so, readily identify the toxicity profile of the compound. Alternatively, where one has a novel compound whose profile is not present in the database, but one knows the structure of the compound, one can search the database for similar compounds of similar structure and
15 obtain information regarding the toxicity of the compound of interest through extrapolation. One can also compare a novel toxicity profile of the a compound not present in the database with profiles present in the database in order to identify compounds of similar toxicity to the compound of interest.

The comparison of a toxicity profile obtained from a test compound and toxicity
20 profiles present in the database, i.e. reference toxicity profiles, is accomplished by any suitable deduction protocol, AI system, statistical comparison, etc. Methods of searching databases are known in the art. See, for example, U.S. Patent no. 5,060,143, which discloses a highly efficient string search algorithm and circuit, utilizing candidate data parallel, target data serial comparisons with an early mismatch detection mechanism. For
25 other examples, see U.S. 5,720,009 and U.S. 5,752,019, the disclosure of which are herein incorporated by reference.

Also provided by the subject invention are methods of screening libraries of compounds for their antitoxic effect, i.e. high throughput methods for the identification of antitoxin compounds. In such methods, a library of candidate antitoxin compounds is

screened for activity according to the methods described above, where the test population of animals, e.g. flies, will have been previously contacted with the toxin for which an antitoxin is sought or will be concomittantly contacted with the toxin. Toxins of particular interest in many embodiments are those that are toxic in both humans and the test animal, e.g. flies. The animal population is contacted with the toxin of interest using any convenient method, e.g. inclusion of the toxin in the nutrient medium, where the dose of toxin contacted with the population is a lethal dose, e.g. LD₉₅. Following contact of the test library of candidate antitoxins with the animal population, those animals that survive are indicative of the animals that were given test compounds that have internalized an agent with the desired anti-toxin activity. Thus, also provided by the subject invention is a high throughput method of screening for compounds having antitoxin activity.

The following examples are offered by way of illustration and not by way of limitation.

EXPERIMENTAL

I. Validation of the fly model for toxicology

In order to determine the extent that the fly model is valid for toxicology assessment studies, an assessment of chemicals with known toxicological profiles and targets is generated using the fly. The chemicals chosen have no substantial toxicity levels (e.g., food dye, sugar, etc.) to ones that are very toxic. The very toxic ones can be broken down into three classes, ones that are generally toxic, ones that are toxic to a cell, tissue, or organ type that is known to be in common with humans and flies, and ones that are toxic to a cell, tissue, or organ type that is specific to humans.

A. Toxicity tests

The chemical is dissolved in water at or near its saturation point. Serial dilutions of this stock solution are used to rehydrate instant fly media (Fisher Scientific).

- 5 Specifically, one toxicity assay will comprise of instant fly media rehydrated with pure stock solution of a chemical, while another will be rehydrated with a 10% solution of the chemical (in water). This format will be used to generate data over a 4 to 5 log dose range for each chemical tested.

- 10 A known quantity of embryos, typically between 40-50, is used as the input. Specifically, 40 to 50 embryos are counted and placed in the receptacle that contains the media/chemical mixture to be tested. The embryos may be counted manually or by automation (e.g., liquid suspension of embryos flowing through a diode). The larva feed on the media/chemical mixture. All aspects of development from larva stage to adult must
- 15 proceed normally in the presence of the chemical. The only food and water source available to the larva and flies contains the chemical. It is shown that the variability of and intake amount that can be expected using this protocol by feeding the larva chemicals that are easy to assay. Specifically, Iron, Copper, and zinc have been selected. Sensitive and accurate kits are commercially available to analyze these chemicals down to a
- 20 concentration of 1 part per million. This will assign quantitative analyses to determine variability between larva in a test receptacle and between larva in different receptacles.

B. Toxicology assessment

- 25 The developing larva and pupa are examined for normal growth and development. Then the adult flies are analyzed for lethality, sterility, developmental defects, and life span alterations. Lethality is determined by dividing the number of adult flies that eclose by the total number of embryos that were placed in the receptacle. Sterility is examined for both males and females by crossing them to normal flies. A physical examination of

the adults reveals any visible defects, such as limb defects, tissue formation defects, abnormal coordination, etc. Finally the flies are allowed to live the natural span of their life to determine whether an effect occurred to either shorten or lengthen the average lifespan of the fly.

5

II. Assays

A. Toxicity Screens

Using standard protocols, including the ones described above for administration to flies, a variety of agents were administered at different doses to mice, rats and flies and the LD for each agent was compared. The results are provided in Table 1.

10

Table 1. Lethal dose toxicity trends are similar between mammals and flies.

Chemical Tested	Mouse	Rat	Fly
	(oral LD50 mg/ml)	(oral LD50 mg/ml)	(oral LD50 mg/ml)
<u>High toxicity</u>			
sodium azide	27	27	.05
cadmium chloride	60	88	.1
clonidine	135	126	.07
<u>Moderate toxicity</u>			
metrifonate	300	560	.04
4-dimethyl aminopyridine	n/a	250	.15
phenylenediamine	366	510	.2
lithium chloride	1165	526	.4
<u>Low toxicity</u>			
disodium phosphate	n/a	17,000	142
niacinamide	2500	3500	5
polyvinyl pyrrolidol	40000	100000	>.4
sodium borate	2000	2660	6.5
L-dopa	2363	1780	.7
bromophenol blue	n/a	n/a	10

15

The trend for lower to higher toxic agents is similar in flies and mammals. The low toxics were categorized by having an LD50 >1,500 mg/kg in mice and rats and these corresponded with a dose of greater than .4 mg (the .4 mg dose for polyvinyl pyrrolidol was the maximum dose that was administerable to the flies and no toxicity was observed at this level). While the moderate range was defined as having a mouse or rat dose over 150 mg/kg up to 1400 mg/kg. This corresponded with a LD50 dose range of .15 to .4 for the fly. Finally the high toxic substances in mice and rats had an oral LD50 with less than 150mg/kg. This corresponded to the fly range that was .1 mg dose or less to induce an oral administered LD50. The one outlier was metrifonate. This chemical is of moderate toxicity in mice and rats, while it is clearly in the high toxic range for flies. As an initial high throughput screen, this pilot study suggests a >90% toxic assessment correspondence with mice and rats. This clearly demonstrates the potential to rapidly and accurately estimate toxicity of unknown compounds.

B. AntiToxicity Screens

The activity of EDTA as an antitoxin was assessed by administering flies toxins in conjunction with EDTA and without EDTA. The results are provided in Table 2.

Table 2. EDTA is an effective in vivo anti-toxin in the fruit fly

Fly food	Yeast Paste	% survival
1.1 mM Copper	None	0
6.0 mM Zinc	None	0
No chemical	25 mM EDTA	0
1.1 mM Copper	25 mM EDTA	76
6.0 mM Zinc	25 mM EDTA	70
No chemical	None	84
0.4 mM Copper	None	50
2 mM Zinc	None	50

The chemical EDTA binds to heavy metals, including copper and zinc. This binding can occur in vitro or in vivo. In vivo binding can lead to neutralizing the toxicity of heavy metals to animals. However, since EDTA binds to calcium, it alone has a reasonable amount of toxicity. The above results demonstrate that a known heavy metal antitoxin can be identified using the subject in animal antitoxin system. Shown in Table 2 is the toxic effects of zinc, copper, and EDTA on the fruit fly. The data in Table 2 also show that the flies can survive in the prescence of both heavy metal (e.g., copper or zinc) and EDTA. To ensure that any antitoxin effects from the EDTA would occur in vivo, the heavy metal and EDTA were supplied in two, physically separated food sources. The flies had to eat from the fly food and yeast paste in the proper amount to neutralize the toxic effects, allowing for survival.

It is evident from the above results and discussion that the subject invention provides a valuable new high throughput screening method. As the subject methods employ multi-cellular organisms, they provide valuable in vivo toxicity data which is often better correlated to activity in humans. Furthermore, the toxic effects on compounds can be determined on a number of different types of cells at substantially the same time. In addition , the subject HTS assays are rapid. Accordingly, the subject invention represents a significant contribution to the art.

All publications and patent applications cited in this specification are herein incorporated by reference as if each individual publication or patent application were specifically and individually indicated to be incorporated by reference. The citation of any publication is for its disclosure prior to the filing date and should not be construed as an admission that the present invention is not entitled to antedate such publication by virtue of prior invention.

Although the foregoing invention has been described in some detail by way of illustration and example for purposes of clarity of understanding, it is readily apparent to those of ordinary skill in the art in light of the teachings of this invention that certain changes and modifications may be made thereto without departing from the spirit or
5 scope of the appended claims.

What Is Claimed Is:

1. A high throughput toxicology screening method in which at least 10 different compound compositions are simultaneously assayed for toxicity, said method comprising:
5 simultaneously assaying at least 10 different compound compositions for toxicity, wherein each of said at least 10 different compound compositions is assayed for toxicity by:
 - (a) contacting said compound composition with a plurality of non-mammalian multi-cellular organisms; and
 - 10 (b) determining the effect of said compound composition on said non-mammalian multi-cellular organisms.
- 15 2. The screening method according to Claim 1, wherein said plurality of non-mammalian multi-cellular organisms ranges from about 10 to 1000.
3. The screening method according to Claim 1, wherein said non-mammalian multi-cellular organisms have a rapid generation time.
- 20 4. The screening method according to Claim 1, wherein said non-mammalian multi-cellular organisms are small.
5. The screening method according to Claim 1, wherein said non-mammalian multi-cellular organisms are characterized by the presence of differentiated organs and tissues.
- 25 6. A high throughput toxicology screening method in which at least 10 different compound compositions are simultaneously assayed for toxicity, said method comprising:
 - simultaneously assaying at least 10 different compound compositions for toxicity, wherein each of said at least 10 different compound compositions is assayed for toxicity by:

- (a) contacting said compound composition with a population of from about 10 to 1000 small non-mammalian multi-cellular organisms having a rapid generation time and differentiated organs and tissues; and
- (b) determining the effect of said compound composition on said non-mammalian multi-cellular organisms.

5

7. The method according to Claim 6, wherein said population is characterized by producing at least 100 progeny per day.

10 8. The method according to Claim 6, wherein at least 100 compound compositions are tested simultaneously.

9. The method according to Claim 6, wherein at least 1000 compound compositions are tested simultaneously.

15

10. The method according to Claim 6, wherein said multi-cellular organism is an insect.

11. The method according to Claim 10, wherein said insect is a fly.

20

12. A high throughput antitoxin screening method in which at least 10 different candidate antitoxin compound compositions are simultaneously assayed for antitoxin activity, said method comprising:

25 simultaneously assaying at least 10 different candidate antitoxin compound compositions for antitoxin activity, wherein each of said at least 10 different candidate compound compositions is assayed for antitoxin activity by:

- (a) contacting said candidate compound composition with a population of from about 10 to 1000 small non-mammalian multi-cellular organisms

having a rapid generation time and differentiated organs and tissues which have been contacted with a toxin; and
(b) determining the effect of said compound composition on said non-mammalian multi-cellular organisms.

5

13. The method according to Claim 12, wherein said population is characterized by producing at least 100 progeny per day.

10 14. The method according to Claim 12, wherein at least 100 candidate compound compositions are tested simultaneously.

15. The method according to Claim 6, wherein at least 1000 candidate compound compositions are tested simultaneously.

15 16. The method according to Claim 6, wherein said multi-cellular organism is an insect.

17. A database of toxicity profiles, said database comprising a plurality of toxicity profiles for a plurality of compounds.

20

18. A database according to Claim 17, wherein said database is prepared by compiling toxicity profiles generated according to the method of Claim 1.

25 19. The database according to Claim 17, wherein said database is present on a computer readable medium.

20. The database according to Claim 17, wherein said database comprises at least 10 different toxicity profiles.

IN VIVO HIGH THROUGHPUT TOXICOLOGY SCREENING METHOD

ABSTRACT OF THE DISCLOSURE

5

A high throughput toxicology screening method is provided. In the subject method, at least 10 different compound compositions are tested simultaneously. Each compound composition is tested by contacting it with a plurality, e.g. from about 10 to 1000, of non-mammalian multi-cellular organisms and determining the effect of the
10 compound composition on the organisms. The multi-cellular organisms employed in the subject methods are small, have differentiated tissues and organs and have a rapid generation time. The subject high throughput screening methods find use in a variety of applications, and are particularly suited for use in the toxicology screening of libraries of compounds, such as libraries of combinatorially produced compounds.

DECLARATION FOR UTILITY OR DESIGN PATENT APPLICATION (37 CFR 1.63) <input checked="" type="checkbox"/> Declaration Submitted with Initial Filing OR <input type="checkbox"/> Declaration Submitted after Initial Filing (surcharge (37 CFR 1.16(c)) required)	Attorney Docket Number	TOSK-004
	First Named Inventor	Fogarty
	Application Number	
	Filing Date	Herewith
	Group Art Unit	
	Examiner Name	

As a below named inventor, I hereby declare that:

My residence, post office address, and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled.

In Vivo High Throughput Toxicology Screening Method

the specification of which:

☒ is attached hereto

OR

☐ was filed on _____ as United States Application Number or PCT International Application Number _____ and was amended on _____ (if applicable).

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment specifically referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined by 37 CFR 1.56.

Insofar as the subject matter of each of the claims of this application are not disclosed in the prior United States or PCT international application in the manner provided by the first paragraph of 35 U.S.C. 112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.

I hereby claim foreign priority benefits under 35 U.S.C. 119(a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT international application which designating at least one country other than the United States of America, listed below and have also identified below any foreign application(s) for patent or inventor's certificate or any PCT international application(s) having a filing date before that of the application(s) of which priority is claimed.

Prior Foreign Application Number(s)	Country	Foreign Filing Date (MM/DD/YYYY)	Priority Not Claimed	Certified Copy Attached?	
				YES	NO
			—	—	—
			—	—	—
			—	—	—
			—	—	—

I hereby claim the benefit under 35 U.S.C. 119(e) of any United States provisional application(s) listed below.

Application Number(s)	Filing Date (MM/DD/YYYY)
60/147,220	08/04/99

I hereby claim the benefit under 35 U.S.C. 120 of any United States application(s), or 365(c) of any PCT international application(s) designating the United States of America, listed below.

U.S. Parent Application or PCT Parent Number	Parent Filing Date (MM/DD/YYYY)	Parent Patent Number (if applicable)

As a named inventor, I hereby appoint the following registered practitioner(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith:


Name	Registration Number	Name	Registration Number
Karl Bozicevic	28,807	Bret E. Field	37,620
Carol L. Francis	36,513	Pamela J. Sherwood	36,677
Dianna L. DeVore	42,484	Paula A. Borden	42,344

DIRECT ALL CORRESPONDENCE TO:

Name	Bret Field				
Address	BOZICEVIC, FIELD & FRANCIS LLP				
Address	285 Hamilton Avenue, Suite 200				
City, State, Zip	Palo Alto, California 94301				
Country	U.S.A.	Telephone	650-327-3400	Facsimile	650-327-3231

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under 18 U.S.C. 1001 and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Name of Sole or First Inventor:

Given Name (first and middle [if any])				Family Name or Surname			
Patrick				Fogarty			
Inventor's Signature						Date	12/23/99
Residence: City	San Mateo	State	CA	Country	USA	Citizenship	USA
Post Office Address	122 16 th Avenue						
Post Office Address							
City	San Mateo	State	CA	Zip	94402	Country	USA